

## IN THE CLAIMS

Please, amend the claims as indicated below. The listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A companion rider wheel chair in combination with ~~comprising:~~

a wheelchair being suitable to be used alone, said wheelchair further

comprising:

two lower side frame members, said members further having a front and a rear end<sub>3</sub>; the rear end further having several holes for mounting a back wheel;

~~two rear frame members, further having an upper and a lower end, the lower end further having several holes for mounting of a back wheel;~~

~~two forwardly extending upper side members mechanically coupled to the upper ends of said rear frame members;~~

two back wheels having a diameter of 20 to 26 inches mountable to any of the holes in the rear lower end of the lower side rear frame members; ~~or in the rear end of the lower side frame members;~~

a tow bar attachment mounted to the front ends of the lower side frame members, said tow bar attachment having a pin coupling system for attachment of a tow bar;

two castor assemblies attachable to the front end of the lower side frame members; ~~the castor assemblies further having a wheel attachment having several holes for attachment of a castor wheel, thereby enabling adjustment of the height of the wheel chair;~~

~~\_\_\_\_\_ a seat supported from said forwardly extending upper side members; and~~  
~~a tow bar attachment mountable to the front end of the lower side frame~~  
~~members, said tow bar attachment having a pin coupling system for attachment of a tow~~  
~~bar having two ends and being downwardly curved between the two ends and having a~~  
~~feet rest in the downwardly curved part; said tow bar having a coupling system in its both~~  
~~ends and being coupled to a motorized vehicle such as motorized wheel chair or a golf~~  
~~cart.~~

a motorized vehicle comprising a coupling system below a seat for a pin coupling  
attachment of a tow bar; and

a tow bar having two ends further having a downwardly curved part between the two  
ends, said tow bar further having a foot rest in the downwardly curved part, said tow bar  
having a pin-coupling system in both of its ends for coupling one end of the tow bar to  
the pin coupling system of the tow bar attachment of the wheel chair and the second end  
to the coupling system of the motorized wheelchair.

2.( previously canceled)

3. (previously canceled)

4. (canceled)

5. (previously canceled)

6. (canceled)

7. (canceled)

8. (amended) The companion rider wheel chair of claim 1 wherein the wheelchair is  
collapsible.

9. (canceled)

10. (canceled)

11. (canceled)

12. (canceled)

13. (canceled)

14. (canceled)